

# FARM GATE ASSESSMENT - SOYBEAN DATA - CROP YEAR 2007 - INDIANA

Sample Number	Grade #	Class	TW (lbs/bu)	MT (%)	QUALITY BREAKOUT						FM BREAKOUT										Grand Total (%)	
					Damage		Foreign Material (%)	Splits (%)	SBOC (%)	ODOR	Protein (%)	Oil (%)	Totals (%)									
					Total (%)	HT (%)							Fine	Coarse	Soybean Pieces	Dirt	Pods	Plant Parts	Corn/OG	Weed Seeds	Other Material	
IN1001	3	YSB	56.1	10.7	0.0	0.0	2.9	10.3	0.0	OK	35.0	19.7	2.3	0.6	0.5	0.0	0.0	0.9	0.6	0.1	0.8	2.9
IN1002	1	YSB	57.0	10.4	0.2	0.0	1.0	3.7	0.0	OK	35.0	19.9	0.7	0.3	0.2	0.1	0.0	0.1	0.3	0.1	0.2	1.0
IN1003	1	YSB	57.0	9.5	0.1	0.0	0.4	2.8	0.0	OK	35.2	19.6	0.3	0.1	0.1	0.0	0.0	0.2	0.0	0.0	0.1	0.4
IN1004	3	YSB	57.0	10.4	0.4	0.0	2.8	13.5	0.0	OK	35.4	19.1	2.0	0.8	1.5	0.0	0.0	0.5	0.8	0.0	0.0	2.8
IN1005	2	YSB	56.5	11.7	0.0	0.0	1.5	11.6	0.0	OK	34.8	19.3	0.8	0.7	0.6	0.0	0.0	0.2	0.7	0.0	0.0	1.5
IN1006	1	YSB	56.7	10.7	0.0	0.0	1.0	6.7	0.0	OK	36.0	18.9	1.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.4	1.0
IN1007	1	YSB	57.2	10.0	0.0	0.0	0.4	1.5	0.0	OK	34.0	20.6	0.4	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.2	0.4
IN1008	2	YSB	56.4	10.1	0.2	0.0	1.6	10.0	0.0	OK	34.7	19.2	1.5	0.1	1.0	0.0	0.0	0.4	0.0	0.0	0.2	1.6
IN1009	2	YSB	56.8	11.0	0.0	0.0	1.3	4.0	0.0	OK	34.3	19.3	1.0	0.3	0.2	0.0	0.0	0.3	0.3	0.2	0.3	1.3
IN2009	1	YSB	56.8	14.3	0.0	0.0	0.1	6.1	0.0	OK	34.9	19.3	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1
IN2010	1	YSB	56.9	11.8	0.0	0.0	0.0	1.0	0.0	OK	34.3	19.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
IN2011	2	YSB	53.7	14.1	1.1	0.0	1.3	8.2	0.0	OK	35.3	19.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
IN2011	2	YSB	53.7	14.1	1.1	0.0	1.3	8.2	0.0	OK	35.3	19.2	1.0	0.3	0.0	0.0	0.3	1.0	0.0	0.0	0.0	1.3
IN2012	1	YSB	57.2	11.3	0.4	0.0	0.3	6.3	0.1	OK	34.0	19.1	0.2	0.1	0.1	0.0	0.2	0.0	0.0	0.0	0.0	0.3
IN2013	1	YSB	55.3	13.7	0.4	0.0	0.9	1.7	0.1	OK	34.5	20.2	0.2	0.7	0.0	0.0	0.4	0.2	0.0	0.2	0.1	0.9
IN2013	1	YSB	55.3	13.7	0.4	0.0	0.9	1.7	0.1	OK	34.5	20.2	0.2	0.7	0.0	0.0	0.4	0.2	0.0	0.2	0.1	0.9
IN2014	1	YSB	56.9	12.1	0.3	0.0	0.3	2.8	0.0	OK	34.0	19.2	0.3	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.3
IN2015	1	YSB	56.4	11.8	0.0	0.0	0.0	3.8	0.0	OK	34.2	19.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
IN2016	1	YSB	57.1	13.4	0.4	0.0	0.9	3.3	0.0	OK	33.5	19.1	0.8	0.1	0.1	0.0	0.1	0.4	0.0	0.0	0.3	0.9
IN3002	1	YSB	55.7	11.3	0.3	0.0	0.2	3.9	0.0	OK	32.7	19.7	0.1	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.2
IN3003	1	YSB	56.6	13.4	0.2	0.0	0.7	0.3	0.0	OK	31.3	20.2	0.6	0.1	0.0	0.0	0.1	0.1	0.0	0.5	0.0	0.7
IN3004	2	YSB	NA	10.6	0.2	0.0	0.4	15.1	0.2	OK	33.8	18.9	0.4	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.4
IN3005	1	YSB	55.2	13.8	0.6	0.0	0.4	9.8	0.0	OK	34.9	19.5	0.3	0.1	0.2	0.0	0.1	0.0	0.0	0.0	0.1	0.4
IN3006	2	YSB	57.2	10.8	0.4	0.0	0.8	16.1	0.0	OK	32.8	20.1	0.8	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.2	0.8
IN3007	1	YSB	56.5	11.2	0.2	0.0	0.3	2.6	0.3	OK	32.0	19.8	0.2	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.3
IN3008	1	YSB	55.9	12.3	0.0	0.0	0.2	8.6	0.0	OK	35.4	18.9	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2
IN3009	1	YSB	55.5	12.6	0.1	0.0	0.2	4.6	4.6	OK	35.4	18.9	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2
IN3010	1	YSB	56.7	13.8	0.1	0.0	0.1	1.9	0.0	OK	35.2	19.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1
IN3011	1	YSB	56.7	13.0	0.1	0.0	0.1	5.9	0.0	OK	35.4	18.9	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1
IN3012	1	YSB	57.0	13.6	0.0	0.0	0.0	2.1	0.0	OK	36.9	17.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
IN3013	1	YSB	56.5	13.8	0.0	0.0	0.2	0.6	0.0	OK	35.0	19.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2
IN4001	1	YSB	55.4	12.8	0.4	0.0	0.2	4.2	0.0	OK	34.6	19.9	0.1	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.2
IN4002	3	YSB	55.6	12.9	1.4	0.0	2.4	9.1	0.0	OK	36.3	19.7	2.4	0.0	0.3	0.0	0.0	0.1	0.0	1.4	0.6	2.4
IN4003	1	YSB	55.8	11.0	0.5	0.0	0.5	7.8	0.0	OK	36.4	18.2	0.5	0.0	0.1	0.0	0.2	0.1	0.0	0.0	0.1	0.5
IN4004	1	YSB	56.7	10.9	0.2	0.0	0.6	2.3	0.0	OK	35.7	19.1	0.6	0.0	0.1	0.0	0.0	0.3	0.1	0.1	0.0	0.6
IN4005	2	YSB	55.2	10.9	0.1	0.0	2.3	10.6	0.0	OK	35.4	19.2	2.0	0.3	0.2	0.0	0.3	1.6	0.0	0.2	0.0	2.3
IN4006	2	YSB	55.5	10.5	1.0	0.0	0.2	15.8	0.0	OK	34.7	20.2	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2
IN4007	3	YSB	55.3	9.6	0.0	0.0	2.1	10.3	0.0	OK	35.9	18.8	2.0	0.1	0.7	0.0	0.3	1.1	0.0	0.0	0.0	2.1
IN4008	2	YSB	54.7	10.0	0.3	0.0	1.5	15.5	0.0	OK	35.3	19.3	1.2	0.3	0.4	0.0	0.3	0.6	0.0	0.0	0.2	1.5
IN4009	1	YSB	54.9	11.6	1.0	0.0	1.0	7.8	0.0	OK	34.9	19.4	1.0	0.0	0.3	0.0	0.0	0.3	0.0	0.2	0.2	1.0
IN4010	1	YSB	55.1	11.7	0.4	0.0	1.0	5.5	0.0	OK	35.6	19.3	0.4	0.6	0.1	0.0	0.6	0.0	0.0	0.0	0.3	1.0
IN4011	1	YSB	55.4	11.7	0.3	0.0	0.8	3.5	0.0	OK	35.9	18.6	0.5	0.3	0.1	0.0	0.1	0.3	0.2	0.0	0.1	0.8
IN4012	1	YSB	55.7	11.4	0.6	0.0	0.2	5.6	0.0	OK	36.4	18.5	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2

# FARM GATE ASSESSMENT - SOYBEAN DATA - CROP YEAR 2007 - INDIANA

Sample Number	Grade #	Class	TW (lbs/bu)	MT (%)	QUALITY BREAKOUT			FM BREAKOUT										Grand Total (%)				
					Total (%)	HT (%)	Foreign Material (%)	Splits (%)	SBOC (%)	ODOR	Protein (%)	Oil (%)	Fine	Coarse	Soybean Pieces	Dirt	Pods	Plant Parts	Corn/OG			
IN4013	1	YSB	54.5	11.6	0.2	0.0	0.5	5.6	0.0	OK	35.5	19.3	0.3	0.2	0.0	0.0	0.3	0.1	0.0	0.0	0.1	0.5
IN4014	1	YSB	55.9	12.8	0.1	0.0	0.1	3.0	0.0	OK	35.7	19.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1
IN4015	1	YSB	55.0	11.8	0.4	0.0	0.2	3.0	0.0	OK	34.5	19.5	0.2	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.2
IN4016	1	YSB	55.0	12.2	0.3	0.0	0.7	3.8	0.0	OK	35.2	19.4	0.4	0.3	0.1	0.0	0.0	0.4	0.1	0.1	0.0	0.7
IN5001	1	YSB	57.1	10.6	0.0	0.0	0.5	4.4	0.0	OK	36.4	19.7	0.5	0.0	0.1	0.0	0.0	0.4	0.0	0.0	0.0	0.5
IN5002	1	YSB	56.4	9.7	0.3	0.0	0.0	1.4	0.0	OK	33.9	19.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
IN5003	3	YSB	52.3	11.8	0.3	0.0	2.1	16.2	0.0	OK	36.9	18.3	1.5	0.6	0.2	0.0	0.6	1.3	0.0	0.0	0.0	2.1
IN5004	1	YSB	55.6	11.1	0.3	0.0	0.6	9.8	0.0	OK	36.2	18.4	0.4	0.2	0.2	0.0	0.0	0.3	0.1	0.0	0.0	0.6
IN5005	2	YSB	54.3	11.3	0.1	0.0	1.3	7.7	0.0	OK	35.5	18.3	1.2	0.1	0.2	0.0	0.4	0.7	0.0	0.0	0.0	1.3
IN5006	1	YSB	56.0	11.8	0.5	0.0	0.7	3.1	0.0	OK	33.7	18.8	0.6	0.1	0.0	0.0	0.0	0.1	0.1	0.4	0.1	0.7
IN5007	1	YSB	55.5	11.3	0.2	0.0	0.5	6.7	0.0	OK	34.7	19.2	0.5	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.1	0.5
IN5008	1	YSB	56.6	12.2	0.0	0.0	0.1	1.5	0.0	OK	35.7	19.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1
IN5009	2	YSB	55.5	12.9	0.2	0.0	0.2	13.1	0.0	OK	36.1	19.4	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.2
IN5010	2	YSB	56.2	13.5	0.4	0.0	1.2	6.1	0.0	OK	35.6	18.7	0.9	0.3	0.0	0.0	0.0	0.9	0.2	0.0	0.1	1.2
IN5011	2	YSB	55.3	10.2	0.0	0.0	1.7	13.0	0.0	OK	36.7	18.1	1.7	0.0	0.9	0.8	0.0	0.0	0.0	0.0	0.0	1.7
IN5012	2	YSB	54.3	10.7	0.0	0.0	0.5	14.5	0.0	OK	36.5	18.7	0.5	0.0	0.4	0.0	0.0	0.1	0.0	0.0	0.0	0.5
IN5013	1	YSB	55.8	12.1	0.2	0.0	0.3	5.4	0.0	OK	35.7	19.0	0.3	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.3
IN5014	2	YSB	55.1	12.6	0.2	0.0	1.5	9.3	0.0	OK	37.5	17.6	1.4	0.1	0.1	0.3	0.0	1.1	0.0	0.0	0.0	1.5
IN5015	1	YSB	55.1	12.1	0.0	0.0	0.3	3.2	0.0	OK	34.4	19.8	0.3	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.3
IN5016	2	YSB	54.4	11.6	0.0	0.0	1.0	11.3	0.0	OK	34.8	19.7	1.0	0.0	0.3	0.2	0.0	0.0	0.0	0.0	0.0	1.0
IN5017	1	YSB	55.1	10.9	0.1	0.0	0.4	6.3	0.3	OK	34.4	19.1	0.3	0.1	0.1	0.2	0.0	0.1	0.0	0.0	0.0	0.4
IN5018	1	YSB	54.4	9.8	0.1	0.0	0.5	6.1	0.0	OK	33.7	19.7	0.5	0.0	0.2	0.2	0.0	0.0	0.1	0.0	0.0	0.5
IN5019	2	YSB	53.9	11.8	0.0	0.0	0.7	10.4	0.0	OK	35.3	18.9	0.5	0.2	0.2	0.2	0.0	0.2	0.0	0.1	0.0	0.7
IN5020	1	YSB	55.5	11.5	0.0	0.0	1.0	8.0	0.0	OK	36.3	18.1	1.0	0.0	0.5	0.4	0.0	0.0	0.1	0.0	0.0	1.0
IN5021	1	YSB	56.6	12.4	0.2	0.0	0.5	6.0	0.0	OK	35.0	19.4	0.4	0.1	0.3	0.0	0.2	0.0	0.0	0.0	0.0	0.5
IN5021	1	YSB	56.6	12.4	0.2	0.0	0.5	6.0	0.0	OK	35.0	19.4	0.4	0.1	0.3	0.0	0.2	0.0	0.0	0.0	0.0	0.5
IN5022	1	YSB	55.4	12.0	0.4	0.0	0.7	5.3	0.0	OK	37.3	18.2	0.6	0.1	0.1	0.0	0.1	0.1	0.0	0.2	0.2	0.7
IN5023	1	YSB	56.5	14.1	0.4	0.0	0.6	4.0	0.0	OK	36.3	18.8	0.6	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.2	0.6
IN5024	1	YSB	55.6	14.2	1.2	0.0	0.8	6.4	0.1	OK	34.2	20.2	0.8	0.0	0.2	0.2	0.0	0.2	0.0	0.0	0.2	0.8
IN5025	2	YSB	55.9	13.3	0.5	0.0	1.1	2.1	0.0	OK	33.6	20.3	0.9	0.2	0.1	0.0	0.2	0.3	0.0	0.4	0.1	1.1
IN5026	2	YSB	55.7	11.5	0.6	0.0	1.1	6.6	0.0	OK	35.2	19.4	1.0	0.1	0.6	0.0	0.1	0.1	0.0	0.0	0.3	1.1
IN5027	1	YSB	55.0	13.0	0.6	0.0	0.7	3.4	0.0	OK	34.9	19.4	0.5	0.2	0.1	0.0	0.2	0.0	0.0	0.0	0.4	0.7
IN5028	1	YSB	56.2	12.8	0.3	0.0	0.5	6.3	0.0	OK	36.9	17.9	0.4	0.1	0.2	0.0	0.0	0.2	0.0	0.0	0.1	0.5
IN5029	1	YSB	57.3	12.9	0.1	0.0	0.4	0.3	0.0	OK	33.4	20.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.3
IN5030	1	YSB	55.3	12.9	0.0	0.0	0.4	5.9	0.0	OK	34.9	19.9	0.4	0.0	0.1	0.0	0.0	0.3	0.0	0.0	0.0	0.4
IN6001	1	YSB	56.3	12.8	0.0	0.0	0.8	0.0	OK	34.3	20.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
IN6002	1	YSB	56.6	11.3	0.0	0.0	0.0	0.0	OK	35.9	18.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
IN6003	1	YSB	55.9	10.6	0.0	0.0	0.0	0.0	OK	33.8	19.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
IN6004	1	YSB	56.5	10.3	0.0	0.0	0.0	0.3	0.0	OK	34.8	19.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
IN6005	1	YSB	56.5	15.6	0.0	0.0	0.0	0.3	0.0	OK	35.0	18.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
IN6006	1	YSB	56.1	11.3	0.0	0.0	0.0	0.1	0.0	OK	37.3	17.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
IN6007	1	YSB	56.2	14.7	0.0	0.0	0.0	0.1	0.0	OK	35.6	18.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
IN6008	1	YSB	54.1	13.0	0.3	0.0	0.1	2.9	0.0	OK	37.2	18.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	

FARM GATE ASSESSMENT - SOYBEAN DATA - CROP YEAR 2007 - INDIANA

Quality Breakout											FM Breakout											
Sample Number	Grade #	Class	TW (lbs/bu)	MT (%)	Damage		Foreign Material (%)	Splits (%)	SBOC (%)	ODOR	Protein (%)	Oil (%)	Totals (%)								Grand Total (%)	
					Total (%)	HT (%)							Fine	Coarse	Soybean Pieces	Dirt	Pods	Plant Parts	Corn/OG	Weed Seeds	Other Material	
IN6009	3	YSB	52.7	14.3	1.0	0.0	2.1	4.4	0.0	OK	35.2	19.8	1.8	0.3	0.0	0.0	0.0	0.3	0.0	0.0	1.8	2.1
IN6009	3	YSB	52.7	14.3	1.0	0.0	2.1	4.4	0.0	OK	35.2	19.8	1.8	0.3	0.0	0.0	0.0	0.3	0.0	0.0	1.8	2.1
IN6010	1	YSB	55.3	10.9	0.5	0.0	0.6	3.6	0.0	OK	34.6	19.9	0.6	0.0	0.1	0.0	0.1	0.2	0.0	0.1	0.1	0.6
IN6010	1	YSB	55.3	10.9	0.5	0.0	0.6	3.6	0.0	OK	34.6	19.9	0.6	0.0	0.1	0.0	0.1	0.2	0.0	0.1	0.1	0.6
IN6011	1	YSB	52.4	12.2	0.3	0.0	0.8	3.6	0.0	OK	35.2	19.3	0.8	0.0	0.0	0.2	0.1	0.4	0.0	0.0	0.1	0.8
IN6012	2	YSB	55.1	11.2	0.0	0.0	0.1	0.3	0.0	OK	36.4	19.7	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1
IN6013	1	YSB	54.8	11.6	0.2	0.0	0.2	7.7	0.0	OK	33.7	20.1	0.2	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.2
IN7001	1	YSB	56.6	12.2	0.1	0.0	0.2	1.0	0.0	OK	35.1	18.7	0.2	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.2
IN7002	1	YSB	55.5	11.2	0.2	0.0	0.4	3.5	0.0	OK	35.1	19.2	0.4	0.0	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.4
IN7003	1	YSB	55.8	12.2	0.3	0.0	0.0	0.9	0.0	OK	34.4	18.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
IN7004	3	YSB	56.8	11.7	0.2	0.0	0.2	1.3	0.0	OK	33.2	20.4	2.4	0.0	1.0	0.0	0.0	1.3	0.1	0.0	0.0	2.4
IN7005	2	YSB	54.5	11.6	0.0	0.0	1.3	4.9	0.0	OK	35.6	18.8	1.0	0.3	0.2	0.0	0.0	0.8	0.3	0.0	0.0	1.3
IN7006	3	YSB	54.4	11.9	0.1	0.0	2.4	3.2	0.0	OK	34.7	19.2	2.2	0.2	0.3	0.0	0.1	0.5	0.1	0.1	1.3	2.4
IN7007	1	YSB	55.3	11.3	1.1	0.0	0.8	4.8	0.0	OK	35.1	19.3	0.8	0.0	0.2	0.0	0.0	0.2	0.0	0.2	0.2	0.8
IN7008	1	YSB	55.4	10.5	0.6	0.0	0.9	8.2	0.0	OK	35.5	18.8	0.8	0.1	0.3	0.0	0.2	0.4	0.0	0.0	0.0	0.9
IN7009	1	YSB	56.6	11.1	0.2	0.0	0.7	0.7	0.1	OK	34.5	19.8	0.6	0.1	0.0	0.0	0.2	0.5	0.0	0.0	0.0	0.7
IN7010	1	YSB	56.0	11.4	0.4	0.0	0.5	3.4	0.0	OK	35.8	18.9	0.5	0.0	0.1	0.0	0.0	0.3	0.0	0.0	0.1	0.5
IN7011	1	YSB	55.3	10.3	0.9	0.0	0.8	7.8	0.0	OK	35.3	19.2	0.6	0.2	0.2	0.0	0.1	0.4	0.1	0.0	0.0	0.8
IN7012	1	YSB	52.8	10.7	0.9	0.0	0.3	5.9	0.0	OK	34.8	19.5	0.3	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.3
IN7013	2	YSB	56.1	12.7	0.2	0.0	1.2	5.7	0.0	OK	35.9	18.9	1.2	0.1	0.1	0.0	0.1	0.1	0.0	1.0	0.0	1.3
IN7014	1	YSB	56.3	11.0	0.3	0.0	0.2	3.4	0.0	OK	36.9	19.3	0.1	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.2
IN7015	1	YSB	55.5	10.9	1.4	0.0	0.8	5.1	0.0	OK	35.9	18.7	0.6	0.2	0.1	0.0	0.2	0.5	0.0	0.0	0.0	0.8
IN7016	1	YSB	55.8	11.2	0.2	0.0	0.2	1.5	0.0	OK	36.8	18.9	0.1	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.2
IN8001	1	YSB	57.1	13.1	0.4	0.0	0.1	0.7	0.0	OK	33.0	21.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1
IN8002	1	YSB	55.1	12.6	0.9	0.0	0.7	4.4	0.0	OK	35.3	19.4	0.7	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.7
IN8003	1	YSB	55.5	11.5	1.9	0.0	0.1	2.8	0.0	OK	34.5	18.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1
IN8004	1	YSB	56.9	11.9	1.2	0.0	0.2	0.7	0.0	OK	32.8	19.4	0.2	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.2
IN8005	2	YSB	56.0	10.9	0.1	0.0	0.2	13.8	0.0	OK	36.3	19.2	0.2	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.2
IN9001	1	YSB	57.8	12.5	0.1	0.0	0.1	2.5	0.0	OK	36.6	17.7	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1
IN9001	1	YSB	57.8	12.5	0.1	0.0	0.1	2.5	0.0	OK	36.6	17.7	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1
IN9002	4	YSB	56.8	11.7	2.4	1.5	0.2	0.9	0.0	OK	35.2	18.4	0.2	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.2
IN9003	SG	YSB	57.4	12.6	0.5	0.0	0.2	1.6	0.0	MUSTY	36.2	18.2	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.2
IN9004	1	YSB	55.3	11.6	0.6	0.0	0.5	3.6	0.0	OK	34.9	18.7	0.4	0.1	0.1	0.0	0.0	0.3	0.0	0.0	0.1	0.5
IN9005	2	YSB	50.1	11.4	0.3	0.0	1.9	11.5	0.0	OK	34.6	20.0	1.5	0.4	0.1	0.0	1.1	0.6	0.0	0.1	0.0	1.9
IN9006	1	YSB	55.8	13.7	0.2	0.0	0.3	0.2	0.0	OK	35.1	19.3	0.3	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.3

## FARM GATE ASSESSMENT - SOYBEAN DATA - CROP YEAR 2007 - INDIANA

Sample Number	Grade #	Class	TW (lbs/bu)	MT (%)	QUALITY BREAKOUT					FM BREAKOUT													
					Damage		Foreign Material (%)	Splits (%)	SBOC (%)	ODOR	Protein (%)	Oil (%)	Totals (%)						(% )				
					Total (%)	HT (%)							Fine	Coarse	Soybean Pieces	Dirt	Pods	Plant Parts	Corn/OG	Weed Seeds			
			Maximum	57.8	15.6	2.4	1.5	2.9	16.2	4.6	-	37.5	21.0	2.4	0.8	1.5	0.8	1.1	1.6	0.8	1.4	1.8	2.9
			Standard Deviation	1.2	1.2	0.4	0.1	0.7	4.1	0.4	-	1.1	0.7	0.6	0.2	0.2	0.1	0.2	0.3	0.1	0.2	0.3	0.7